


cgc

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:  
Commissioner for Patents, P.O. Box 1450  
Alexandria, VA 22313 on December 6, 2006.

REQUEST FOR CERTIFICATE OF  
CORRECTION UNDER 37 C.F.R. 1.322  
Docket No. UF-270  
Patent No. 7,104,963 B2

David Saliwanchik  
David R. Saliwanchik, Patent Attorney



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**Certificate**  
DEC 14 2006  
**of Correction**

Applicants : Richard J. Melker and David Bjoraker  
Issued : September 12, 2006  
Patent No. : 7,104,963 B2  
Serial No. : 10/054,619  
For : Method and Apparatus for Monitoring Intravenous (IV)  
Drug Concentration Using Exhaled Breath

Mail Stop Certificate of Corrections Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION  
UNDER 37 CFR 1.322 (OFFICE MISTAKE)

Sir:

A Certificate of Correction (in duplicate) for the above-identified patent has been prepared and is attached hereto.

In the left-hand column below is the column and line number where errors occurred in the patent. In the right-hand column is the page and line number in the application where the correct information appears.

DEC 15 2006

**Patent Reads:**Column 19, line 34:

“substance”

Column 20, line 6:

“for alevel indicative of”

Column 20, line 24:

“transmitting data”

**Application Reads:**Page 2 of the Amendment dated June 16, 2005, Claim 3, Line 16:

--substance--

Page 4 of the Amendment dated June 16, 2005, Claim 17, Line 2:

--for a level indicative of--


Page 4 of the Amendment dated June 16, 2005, Claim 23, Lines 18-19:

--transmitting or displaying data--

A true and correct copy of pages 2 and 4 of the Amendment dated June 16, 2006, which support Applicants' assertion of the errors on the part of the Patent Office, accompany this Certificate of Correction.

Approval of the Certificate of Correction is respectfully requested.

Respectfully submitted,



David R. Saliwanchik  
Patent Attorney  
Registration No. 31,794  
Phone No.: 352-375-8100  
Fax No.: 352-372-5800  
Address: P.O. Box 142950  
Gainesville, FL 32614-2950

DRS/an

Attachments: Certificate of Correction in duplicate; and  
Copy of pages 2 and 4 of the Amendment dated June 16, 2005. . . . .

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,104,963

Page 1 of 1

APPLICATION NO.: 10/054,619

DATED : September 12, 2006

INVENTORS : Richard J. Melker, David Bjoraker

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 19,

Line 34, "substance" should read --substance--.

Column 20,

Line 6, "for alevel indicative of" should read --for a level indicative of--.

Column 20,

Line 24, "transmitting data" should read --transmitting or displaying data--.

MAILING ADDRESS OF SENDER:  
Saliwanchik, Lloyd & Saliwanchik  
P.O. Box 142950  
Gainesville, FL 32614-2950

DEC 15 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,104,963

Page 1 of 1

APPLICATION NO.: 10/054,619

DATED : September 12, 2006

INVENTORS : Richard J. Melker, David Bjoraker

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 19,

Line 34, "substance" should read --substance--.

Column 20,

Line 6, "for alevel indicative of" should read --for a level indicative of--.

Column 20,

Line 24, "transmitting data" should read --transmitting or displaying data--.

MAILING ADDRESS OF SENDER:

Saliwanchik, Lloyd & Saliwanchik

P.O. Box 142950

Gainesville, FL 32614-2950

DEC 15 2006